



Figure 1




2/21

Figure 2




3/21

Figure 3




4/21

Figure 4



5/21

Figure 5



6/21

Figure 6





Figure 7



Immunization

Figure 8




Figure 9A





Figure 9B

Protein Vaccine:




12/21

Figure 11

DNA Treatment	Route	Pre-bleed		1st DNA		2nd DNA		3rd DNA		4th DNA	
		Responders to EpCAM	Responders to TAG25	Responders to EpCAM	Responders to TAG25	Responders to EpCAM	Responders to TAG25	Responders to EpCAM	Responders to TAG25	Responders to EpCAM	Responders to TAG25
Saline	im	0	0	0	0	0	0	0	0	0	0
EpCAM	id	0	0	0	0	1	1	3	3	3	3
EpCAM	im	0	0	1	0	2	2	2	2	2	2
TAG25	id	0	0	0	0	0	0	3	3	3	3
TAG25	im	0	0	0	1	1	1	4	4	4	4

13/21

Figure 12



Reciprocal Serum Dilution after 4th immunization with DNA vector (1 mg/per dose)

Figure 13





Figure 14




DNA Protein DNA + Protein Boost

After Last Protein Boost * Significantly higher than negative ctrl

16/21

Figure 15

- Preactivate PBMCs +/- antigen in tubes (2×10^6 /ml) for 16-24hr
- Coat PVDF membrane with capture anti-IFN γ Ab



- Block
- Add cells in quadruplicates
- Biotinylated capture Ab
- Streptavidin HRP
- Substrate AEC

Readout: IFN γ Spot Forming Cells





Figure 16



2mg DNA 4x every 3 wks

DNA immunizations (n=5):

- Empty vector i.m. or i.d.
- TAg25 i.m. or i.d.
- TAg25/hB7.1 i.m. or i.d.
- TAg25/CD28BP i.m. or i.d.
- TAg25 + control DNA i.m.
- TAg25 + hB7.1 i.m.
- TAg25 + CD28BP i.m.

100ug TAg25 protein in 2mg Alum


2x every 4wks; i.m.

Given to 20 monkeys previously
 treated with DNA i.d.



Animal Species:
 Macaca fascicularis

Figure 17



Immunization i.d.

Restimulation using a mixture of 9-11 α EpCAM-specific peptides


Figure 18

Vaccine	Antigen-specific Response	
	CD4 T Cell*	CD4 & CD8 T Cell*
Empty vector	0/5	0/5
TAg25	1/5	0/5
TAg25/B71	0/5	0/5
TAg25/CD28BP	3/5	2/5

- * Number of animals positive when restimulated with TAg25
- ** Number of animals that are positive for restimulation with both TAg25 and EpCAM peptide mixture in separate cultures

20/21

Figure 19



21/21

Figure 20

